



INDEX MAPS.

T. 4N, R. 3E. 2nd Mer.



T. 5N, R. 3E. 2nd Mer.



The figures on the lines refer to the page.

Township N. 5 North, Range N. 3 East 2. Mer. Indiana

South Boundary

East On Rand^m S. boundary of Sec. 31, T5 N. R3 E.

40.00 Set temp^y. g. Sec. post

60.00 a Brook 10 lks. wide Course NW.

80.00 Set temp^y. (mile post

Over very hilly land, timber Oak, thin soil

East On Rand^m S. boundary of Sec. 32, T5 N. R3 E.

40.00 Set temp^y. g. Sec. post

80.00 Set temp^y. (mile post

Land timber &c. same as on the last mile

East On Rand^m S. boundary of Sec. 33, T5 N. R3 E.

40.00 Set temp^y. g. Sec. post in the river bottom

71.11 a Brook 10 lks. wide Course South

80.00 Set temp^y. (mile post. Land flat, timber beech &c.

East On Rand^m S. boundary of Sec. 34, T5 N. R3 E.

40.00 Set temp^y. g. Sec. post

80.00 Set temp^y. (mile post

Land the same, flat, timber Beech, Elm &c.

East On Rand^m S. boundary of Sec. 35, T5 N. R3 E.

5.00 a Brook 10 lks. wide Course South

39.11 to White River

80.00 temp^y. (mile post in White river. Land same

East On Rand^m S. boundary of Sec. 36, T5 N. R3 E.

40.00 Set temp^y. g. Sec. post

74.00 Intersected the N. & S. line 20 lks. S. of the
Lower Corner.

Land level.

T5 N. R3 E2. Mer. Indiana
var. 6°30' E.

- West On true line S. boundary of Sec. 36, T5 N. R3 E.
27.00 a ——— 20 mi. dist.
40.00 Let the q. Sec. post, from which
a Locust 15 mi. dist. bear S80 E 40 lks. dist. of
a Beech 20 " " " N52 E 21 1/2 " "
72.00 Let a post on the left bank of W. River, from which
a W. Ash 20 mi. dist. bear N20 E 16 lks. dist. of
a Hickory 20 " " " S30 W 11 " "
80.00 Let a post Cor. to Sec. 35 & 36 on the N.W. side
of White River, from which
a Locust 8 mi. dist. bear N83 E 45 lks. dist.

- West On true line S. boundary of Sec. 35, T5 N. R3 E.
20.42 to a Maple 8 mi. dist. on the bank of White river
35.50 Let a post on the river bank (N.W. side of bend) from which
a Mulberry 8 mi. dist. bear S67 W 21 lks. dist. of
a Sugar 10 " " " N6 E 12 " "
40.00 Let the q. Sec. post, from which
a Cherry 5 mi. dist. bear S44 W 18 lks. dist. of
a Red Oak 6 " " " S74 W 14 " "
80.00 Let a post Cor. to Sec. 34 & 35, from which
a Beech 20 mi. dist. bear N10 E 16 lks. dist. of
a Do 8 " " " S8 W 18 " "

- West On true line S. boundary of Sec. 34, T5 N. R3 E.
40.00 Let the q. Sec. post, from which
a Beech 20 mi. dist. bear N22 W 8 lks. dist. of
a Do 6 " " " S67 E 9 " "
80.00 Let a post Cor. to Sec. 33 & 34, from which
a Beech 12 mi. dist. bear N37 E 14 lks. dist. of
a Do 30 " " " N32 W 22 " "

- West On true line S. boundary of Sec. 33, T5 N. R3 E.

T5. N. R3 E. 2^d. Mer. Indiana

40.00 at Beech 6 in. dia. Marked for g^t. Sec. Corner
 80.00 Set a post Cor. to Sect. 32 & 33, from which
 at Beech 20 in. dia. bear S 80 E 20 lks. dist. of
 a Do 8 " " " S 24 W 11 " "

West On true line S. boundary of Sec. 32, T5. N. R3 E.
 17.50 at Brook 18 lks. wide Course South
 40.00 at P. Oak 10 in. dia. Marked for g^t. Sec. Cor.
 80.00 at W. Oak 20 " " Cor. to Sect. 31 & 32.

West On true line S. boundary of Sec. 31, T5. N. R3 E.
 40.00 Set the g^t. Sec. post, from which
 at W. Oak 20 in. dia. bear S 10 E 17 lks. dist. of
 a Dogwood 6 " " " S 54 W 12 " "
 74.61 to Lower Corner.

East Boundary

North On E. boundary of Sec. 36, T5. N. R3 E.
 35.90 at Hickory 10 in. dia.
 40.00 Set the g^t. Sec. post, from which
 at P. Oak 40 in. dia. bear S 28 E 36 lks. dist. of
 a Hickory 8 " " " S 52 W 7 " "
 74.60 at Beech 20 " "
 80.00 Set a post Cor. to Sect. 25 & 36, at Beech 8 in.
 dia. supplying the place of post
 This mile over rich level land.

North On E. boundary of Sec. 25, T5. N. R3 E.
 27.00 Set a post on the Left bank of White river, from which
 at P. Walnut 40 in. dia. bear S 3 E 24 lks. dist. of
 at Blue Ash 6 " " " S 84 E 10 " "
 October 2^d. 1806 var. 6^t. 30.
 34.00 Set a post on the Right bank of White river, from which

T5 N. R3 E. 2^d. Mer. Indiana

- a Red Bud 6 mi. dia. bearing N21 E 41 lks. dist.
 40.00 Let the q. Sec. post, from which
 a W. Oak 10 mi. dia. bearing S86 W 16 lks. dist. of
 a Red bud 5 " " " N41 E 25 " "
 58.40 a Locust 12 " " on the River bank
 71.00 Let a post on the River bank, from which
 a Beech 6 mi. dia. bearing N69 W 14 lks. dist.
 a Ho 6 " " " S83 E 10 " "
 76.70 a Beech 20 mi. dia.
 80.00 Let a post Cor. to Sec. 24 & 25, from which
 a Beech 8 mi. dia. bearing S4 E 47 lks. dist. of
 a Ho 8 " " " N77 W 9 " "
 Over level Beech timbered land

- North On E. boundary of Sec. 24, T5 N. R3 E.
 40.00 Let the q. Sec. post, from which
 a Hackberry 15 mi. dia. bearing S53 E 25 lks. dist. of
 a J. Walnut 28 " " " N71 W 34 " "
 80.00 a Maple 10 mi. dia. Cor. to Sec. 13 & 24
 Sand timber &c. Same as on the last mile

- North On E. boundary of Sec. 13, T5 N. R3 E.
 40.00 a Maple 6 mi. dia. Marked for q. Sec. Cor.
 80.00 Let a post Cor. to Sec. 12 & 13, from which
 an Ironwood 6 mi. dia. bearing S38 E 14 lks. dist.
 a Beech 12 " " " N20 E 16 " "
 Sand flat, timber (Maple, Beech, Oak &c.)

- North On E. boundary of Sec. 12, T5 N. R3 E.
 1.50 a W. Oak 12 mi. dia.
 40.00 Let the q. Sec. post, from which
 a Maple 12 mi. dia. bearing S2 E 34 lks. dist. of
 a Beech 10 " " " N29 W 10 " "

T5 N. R3 E. 2^d Mer. Indiana

225

52.00 a Brook 10 lks. wide Course East
 80.00 Set a post Cor. to Sec. 1 of 12, from which
 a Beech 7 in. dia. bear N45 E 9 lks. dist. of
 a No 5 " " " N47 W 6 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T5 N. R3 E.

40.00 Set the q^r. Sec. post. from which
 a Hickory 12 in. dia. bear N11 W 29 lks. dist. of
 a W. Oak 10 " " " N1 E 23 " "

41.75 a Brook 10 lks. wide Course E.

76.50 a No 12 " " " E.

80.00 Set a post Corner to Township N. 5 of 6 North
 Range 3 of 4 East, from which
 a Beech 12 in. dia. bear S5 W 47 lks. dist. of
 a No 12 " " " — 9 W 28 " "
 Sand timber &c. same - flat.

North Boundary

West On Rand^m S. boundary of Sec. 36, T6 N. R3 E.

33.00 a Brook 10 lks. wide Course S.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post. Sand level

West On Rand^m S. boundary of Sec. 35, T6 N. R3 E.

9.60 a Brook 8 lks. wide Course South

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post. This mile very
 hilly thin soil, timber Oak & Hickory

West On Rand^m S. boundary of Sec. 34, T6 N. R3 E.

40.00 Set temp^y. q^r. Sec. post

74.60 a Brook 12 lks. wide Course South

T5 N R3 E, 2nd Mer. Indiana

80.00 Let temp^y. Mile post
 Good farming land, timber Beech & Sugar

Met On Rand^m. S. boundary of Sec. 33, T6 N. R3 E.
 40.00 Let temp^y. q. Sec. post
 80.00 Let temp^y. (Mile post
 Land timber &c. Same as on the last mile

Met On Rand^m. S. boundary of Sec. 32, T6 N. R3 E.
 34.00 a Brook 20 lks. wide Course S.
 40.00 Let temp^y. q. Sec. post
 50.25 a Brook 10 lks. wide Course S.
 80.00 Let temp^y. (Mile post. Land &c. same

Met On Rand^m. S. boundary of Sec. 31, T6 N. R3 E.
 40.00 Let temp^y. q. Sec. post
 72.00 Intersected the N of S. line 78 lks. N. of Town
 Corner. Land &c. the same

Variation 6° 30' E.

East On true line S. boundy. of Sec. 31, T6 N. R3 E.
 32.00 Let the q. Sec. post on true line from which
 a W. Oak 24 in. dia. bran N 61 E 4 lks. dist. of
 a Beech 10 " " " N 45 W 11 " "
 72.00 Let a post Cor. to Sec. 31 & 32, T6 N. R3 E. from which
 a Beech 24 in. dia. bran S 84 E 10 lks. dist. of
 a Do 10 " " " S 76 W 18 " "

East On true line S. boundy. of Sec. 32, T6 N. R3 E.
 40.00 a Beech 20 in. dia. Marked for q. Sec. corner.
 80.00 Let a post Cor. to Sec. 32 & 33, T6 N. R3 E. from which
 a Beech 10 in. dia. bran N 57 W 12 lks. dist. of
 a Poplar 12 " " " S 13 E 19 " "

T5 N. R3 E. 2^d. Mer. Indiana

227

East On true line S. boundary of Sec. 33, T6 N. R3 E.
 40.00 Let the q. Sec. post on true line, from which
 a Hickory 8 m. dist. bear N 42° 10' W 10 lks. dist. of
 a Beech 8 " " " N 71° E 26 " "
 80.00 Let a post Cor. to Sec. 33 & 34, T6 N. R3 E, from which
 a W. Oak 18 m. dist. bear N 70° E 6 lks. dist. of
 a Sugar 18 " " " S 60° E 38 " "

East On true line S. boundary of Sec. 34, T6 N. R3 E.
 40.00 Let the q. Sec. post on true line, from which
 a Beech 8 m. dist. bear S 18° W 25 lks. dist. of
 a Dogw. 6 " " " S 86° W 20 " "
 80.00 Let a post Cor. to Sec. 34 & 35, T6 N. R3 E, from which
 a Beech 10 m. dist. bear S 36° E 2 lks. dist. of
 a Do 6 " " " N 59° W 11 " "

East On true line S. boundary of Sec. 35, T6 N. R3 E.
 40.00 Let the q. Sec. post on true line, from which
 a P. Oak 18 m. dist. bear N 67° E 10 lks. dist. of
 a Do 18 " " " S 45° E 15 " "
 80.00 Let a post Cor. to Sec. 35 & 36, T6 N. R3 E, from which
 a P. Oak 10 m. dist. bear N 61° E 12 lks. dist. of
 a Do 8 " " " S 4° E 6 " "

East On true line S. boundary of Sec. 36, T6 N. R3 E.
 40.00 Let temp. q. Sec. post on true line from which
 a W. Oak 20 m. dist. bear N 73° E 36 lks. dist. of
 a Beech 18 " " " N 83° W 10 " "
 80.00 to Town Corner.

West Boundary var. 7.00.
 North On E. boundary of Sec. 36, T5 N. R2 E.
 40.00 Let the q. Sec. post, from which

T5 N. R2 E. 2nd Mer. Indiana

- a Poplar 20 in. dia. bray S45 N. 23 lks. dist. of
 a Beech 12 " " " S70 E 25 " "
 75.75 a Brook 10 lks. wide C.S. N.W.
 80.00 Set a post Cor. to Sec. 25 & 36, T5 N. R2 E from which
 a Beech 20 in. dia. bray N11 E 13 lks. dist. of
 a Do 11 " " " N57 E 11 " "
 Sand Broken, timber Beech, Poplar &c.
-

North On E. boundy. of Sec. 25, T5 N. R2 E.

- 23.70 a Sugar 10 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bray S15 W 30 lks. dist. of
 a Do 6 " " " N9 W 16 " "
 48.50 a Brook 20 lks. wide C.S. N.
 60.00 a Gum 12 in. dia.
 72.00 a Brook 20 lks. wide C.S. N.
 80.00 Set a post Cor. to Sec. 24 & 25, T5 N. R2 E, from which
 a Beech 28 in. dia. bray S16 W 14 lks. dist. of
 a Sugar 10 " " " N88 E 9 " "
 Sand timber &c. same as on the last mile
-

North On E. boundy. of Sec. 24, T5 N. R2 E.

- 22.90 a Poplar 36 in. dia.
 40.00 Set the q. Sec. post, from which
 a Poplar 36 in. dia. bray South 18 lks. dist. of
 a Beech 6 " " " N63 E 4 " "
 80.00 Set a post Cor. to Sec. 13 & 24, T5 N. R2 E, from which
 a Hickory 12 in. dia. bray N88 E 8 lks. dist. of
 a Sugar 8 " " " N65 W 14 " "
 Sand timber &c. same as on the last mile
-

North On E. boundy. of Sec. 13, T5 N. R2 E.

- 19.38 a Creek 50 lks. wide C.S. N.

22,
T5N R3E. 2^d Mer. Indiana

- 32.50 a Brook 10 lks. wide C. S. E.
 40.00 Let the q. Sec. post, from which
 a Maple 8 in. dia. bear N 9 E 35 lks. dist. of
 a Beech 8 " " " N 31 W 15 " "
 80.00 Let a post Cor. to Sec. 12 & 13, T5N. R2E. from which
 a Beech 8 in. dia. bear N 1 W 13 lks. dist. of
 a Do 8 " " " N 89 E 13 " "
 (description Omitted)

-
- North On E. boundy. of Sec 12, T5N. R2E.
 40.00 Let the q. Sec. post, from which
 a Beech 8 in. dia. bear N 68 E 3 lks. dist. of
 a Do 8 " " " N 8 E 33 " "
 74.00 a Brook 10 lks. wide C. S. E.
 80.00 Let a post Cor. to Sec. 1 & 12, T5N. R2E. from which
 a Beech 20 in. dia. bear N 6 E 50 lks. dist. of
 a Do 20 " " " N 50 W 28 " "
 Sand timber &c. Same

-
- North On E. boundary of Sec. 1, T5N. R2E.
 40.00 Let the q. Sec. post, from which
 a Beech 18 in. dia. bear N 85 W 3 lks. dist. of
 a Do 6 " " " N 5 W 31 " "
 80.00 Let a post Cor. to Township N. 5 & 6, North,
 Range 1, 2 & 3 East, from which
 a Beech 28 in. dia. bear N 85 E 23 lks. dist. of
 a Do 15 " " " N 83 W 28 " "
 Sand timber &c. Same
 Surveyed by Arthur Kenne, Jr. Sur. comp

Subdivision.

- North Between Sec. 35 & 36, T5N. R3E.
 40.00 Let the q. Sec. post, from which

T5 N R3 E. 2nd Mer. Indiana

a Beech 20 in. dia. bears N 35 W 5 lks. dist. of
a Do 22 " " " " 169 E 45 " "

52.72 a Hickory 10 in. dia. —

77.50 a Brook 10 lks. East.

80.00 Set the post Corner to Secs. 25, 26, 35, 36. from which
a Beech 6 in. dia. bears S 5 W 37 lks. dist. of
a Do 24 " " " " S 78 W 15 " "

Over level Oak Land timber Beech Sugar Walnut.

East On Random Between Secs. 25, 36. T5, N R3 E.

40.00 Set the q. Sec. post from which
a Hackberry 8 in. dia. bears N 49 W 10 lks. dist. of
a Hickory 12 " " " " S 16 E 14 " "

69.00 Set post on the river bank from which
a Locust 8 in. dia. bears N 82 W 46 lks. dist. of
a Do 8 " " " " S 66 W 30 " "
Land the Same

West Between Secs. 25, 36. T5, N R3 E.

3.83 (to the river) Set a post Corner to Secs. 25 & 36. from which
a Beech 9 in. dia. bears N 25 W 3 lks. dist. of
a Do 12 " " " " S 19 E 14 " "

North Between Secs. 25 & 26. T5, N R3 E

15.25 a Hackberry 12 in. dia. —

40.00 Set the q. Sec. post from which
a W. Oak 6 in. dia. bears S 12 W 10 lks. dist. of
a Ironwood 6 " " " " S 40 E 6 " "

74.75 a Sugar 24 in. dia.

80.00 Set a post Corner to Secs. 23, 24, 25, 26. from which
a Maple 15 in. dia. bears S 2 E 27 lks. dist. of
a B. Oak 7 " " " " S 84 W 6 " "
Land the Same

T5 N. R3 E. 2^d. Mer. Indiana

231

East On Random Between Secs. 24 & 25 T5 N. R. 3 E.
 40 . 00 Set the temp^y. q^r. Sec. post
 78 . 87 Intersected the N. & S. line 50 lks. South of post
 Land the Same

West On true line Between Secs. 24 & 25 T5 N. R. 3 E.
 39 . 43 1/2 Set the q^r. Sec. post at average dist. from which
 a B. Oak 24 in. dia. bears N 20 W 20 lks. dist. &
 a Beech 15 " " " S 35 W 10 " "
 78 . 87 to Section Corner

North Between Secs. 23 & 24 T5 N. R. 3 E.
 24 . 40 Beech 24 in. dia. -
 40 . 00 to a Beech 10 in. dia. for Corner
 80 . 00 Set a post Corner to Secs. 13, 14, 23, 24 from which
 a Beech 10 in. dia. bears S 20 E 27 lks. dist. &
 a Do 18 " " " S 85 E 10 " "
 Land rolling timber same -

East On Random Between Secs. 13 & 24 T5 N. R. 3 E.
 40 . 00 Set temp^y. q^r. Sec. post
 80 . 00 Intersected the N. & S. line 10 lks. N. of post
 Land flat timber Elm, Hickory &c

West On true line Between Secs. 13 & 24 T5 N. R. 3 E
 40 . 00 Set the q^r. Sec. post at average dist. from which
 an Ironwood 6 in. dia. bears N 88 E 16 lks. dist. &
 an Elm 10 " " " S 35 W 2 " "
 80 . 00 to Section Corner

North Between Secs. 13 & 14 T5 N. R. 3 E
 13 . 25 Brook 20 lks. N. E.
 40 . 00 Set the q^r. Sec. post from which

T5 N R3 E 2^d Mer. Indiana

- a Beech 5 in. dia. bears S 15 W 21 lks. dist. 7/8
 a Elm 24 " " " N 19 E 22 " "
 80 . 00 Let the Corner to Sec. 11, 12, 13, 14. from which
 a Hickory 12 in dia. bears S 22 E 50 lks. dist. 7/8
 a Beech 10 " " " S 52 E 28 " "
 Land the Same

- East On Random Between Sec. 12 & 13 T5 N. R. 3 E
 40 . 00 Let temp. 7/8 of Sec. post -
 46 . 00 a Brook 10 lks. South.
 79 . 90 Intersected the N. & S. line at the post

- West On true line Between Sec. 12 & 13 T5 N. R. 3 E
 39 . 95 Let 7/8 of Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 35 W 6 lks. dist. 7/8
 a Elm 24 " " " S 65 W 20 " "
 79 . 90 to Section Corner -

- North Between Sec. 11 & 12 T5 N. R. 3 E
 24 . 00 a Brook 12 lks. dist. -
 26 . 00 a Beech 20 in. dia. -
 40 . 00 Let the 7/8 of Sec. post from which
 a Beech 12 in. dia. bears S 20 W 28 lks. dist. 7/8
 a W. Oak 10 " " " N 21 E 28 " "
 80 . 00 Let a post Corner to Sec. 1, 2, 11, 12. from which
 a W. Oak 20 in. dia. bears N 50 E 30 lks. dist. 7/8
 a Elm 20 " " " N 20 W 11 " "

- East On Random Between Sec. 11 & 12 T5 N. R. 3 E.
 40 . 00 Let temp. 7/8 of Sec. post
 56 50 A Brook 10 lks. wide Course South
 79 60 Intersected the N. & S. line at the post
 Land flat timber Elm Beech &c

T5 N. R3 E. 2^d. Mer. Indiana

West On True line Between Sec^s. 17 & 12 T5 N. R. 3 E
 39.80 Set the q^r. Sec. post at average dist. from which
 a Beech 12 in. dia^t. bears N 89 W 27 lks. dist. 7
 a Do 18 " " " S 50 E 19 " "
 79.60 to Section Corner—

North Between Sec^s. 17 & 2 T5 N. R. 3 E
 40.00 Set the q^r. Sec. post from which
 a W. Oak 20 in. dia^t. bears S 73 E 10 lks. dist. 18
 a Beech 6 " " " N 10 E 7 " "
 67.00 a Brook 10 lks. wide Course S. E.
 80.38 Set a post on the N. Boundary 54 lks. E. of
 Sec. Corner from which
 a B. Oak 10 in. dia^t. bears N 57 W 12 lks. dist. 8
 a Do 10 " " " S 23 E 11 " "
 Sand Hilly thin Soil—

North Between Sec^s. 34 & 35, T5 N. R3 E.
 8.00 a Brook 18 lks. wide Course E.
 40.00 Set the q^r. Sec. post, from which
 a Beech 12 in. dia^t. bears S 72 W 15 lks. dist. 8
 an Elm 12 " " " N 4 E 26 " "
 80.00 Set a post Cor. to Sec^s. 26, 27, 34 & 35, from which
 a Beech 10 in. dia^t. bears N 10 E 42 lks. dist. 8
 a Do 10 " " " S 53 E 13 " "
 Land level rich, timber Beech, Elm & Walnut

East On Rand^m. between Sec^s. 26 & 35, T5 N. R3 E.
 40.00 Set temp^y. q^r. Sec. post
 73.00 a Creek 30 lks. wide Course S. E.
 80.40 Intersected the N & S. line 18 lks. S. of post
 Land timber &c. same as on the last mile

T5 N. R3 E. 2^d Mer. Indiana

West On true line between Secs. 26 & 35, T5 N. R3 E.
 40.20 Set q. Sec. post at average dist. from which
 a Sugar 8 m. dia. bear N79 E 19 lks. dist. of
 a Do 12 " " " N85 W 18 " "
 80.40 to Sec. Corner.

North Between Secs. 27 & 26, T5 N. R3 E.
 40.00 Set the q. Sec. post, from which
 a Beech 15 m. dia. bear N15 W 20 lks. dist. of
 a Do 20 " " " N79 E 48 " "
 80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which
 a W. Oak 12 m. dia. bear N8 E 23 lks. dist. of
 a Dogw? 6 " " " N29 E 9 " "
 Sand flat, timber Beech, Elm &c

East On Rand? between Secs. 23 & 26, T5 N. R3 E.
 8.50 at Brook 12 lks. wide Course S.
 28.50 a Do 20 " " " S.
 40.00 Set temp. q. Sec. post.
 81.00 Intersected the N of S. line 20 lks. N. of post.
 Sand timber &c. same as on the last mile

West On true line between Secs. 23 & 26, T5 N. R3 E.
 40.50 Set q. Sec. post at average dist. from which
 a Beech 24 m. dia. bear N64 W 13 lks. dist. of
 a Do 10 " " " N3 E 17 " "
 81.00 to Sec. Cor.

North Between Secs. 22 & 23, T5 N. R3 E.
 13.00 a Brook 6 lks. wide Course S. E.
 40.00 Set the q. Sec. post, from which
 a Beech 20 m. dia. bear N57 W 10 lks. dist. of
 a Do — " " " N53 E 29 " "

T5 N. R3 E. 2^d. Mer. Indiana

80.00 Let a post Cor. to Sec. 14, 15, 22, 23, from which
 a Beech 20 in. dia. bear N 89° 26' E. dist. 8'
 a do 8 " " " S 28° 12' " "
 Land timber &c. same as on the last mile

East On Rand^m between Sec. 14 & 23, T5 N. R3 E.

2.50 a Brook 12 lks. wide Course S.

40.00 Let temp^y. g. Sec. post

80.43 intersected the N & S. line 27 lks. N. of the post
 Land timber &c. same as on the last mile

West On true line between Sec. 14 & 23, T5 N. R3 E.

40.21 1/2 dist g. Sec. post at average dist. from which
 a Beech 12 in. dia. bear N 22° 16' E. dist. 8'
 a do 12 " " " S 80° 15' " "

80.43 to Sec. Corner.

North Between Sec. 14 & 15, T5 N. R3 E.

3.00 a Brook 12 lks. wide Course S. E.

40.00 Let the g. Sec. post, from which

a Beech 6 in. dia. bear N 66° 22' E. dist. 8'
 a dogwood 5 " " " N 80° 5' " "

60.00 a Brook 10 lks. wide Course S. E.

62.00 a Poplar 36 in. dia.

80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which

a W. Oak 20 in. dia. bear N 66° 8' E. dist. 8'
 a do 10 " " " S 21° 10' " "

Land hilly, timber Oak & Hickory

East On Rand^m between Sec. 11 & 14, T5 N. R3 E.

20.00 a Brook 10 lks. wide Cr. S.

40.00 Let temp^y. g. Sec. post

80.00 intersected the N & S. line 20 lks. S. of post.

T5 N. R3 E. 2. Mer. Indiana

Land timber &c. Same as on the last mile

West On true line between Sec. 10 & 11, T5 N. R3 E.
 40.00 Set the q. Sec. post at average dist. from which
 a P. Oak 6 in. dia. bears N56 W 4 lks. dist. &
 a W. Oak 12 " " " S62 W 15 " "
 80.00 to Sec. Corner.

North Between Sec. 10 & 11, T5 N. R3 E.
 25.50 a Beech 12 in. dia.
 40.00 Set the q. Sec. post from which
 a W. Oak 10 in. dia. bears N15 W 8 lks. dist. &
 a Do 8 " " " S15 E 21 " "
 80.00 Set a post Corner to Sec. 2, 3, 10, 11, from which
 a Poplar 6 in. dia. bears S70 W 5 lks. dist. &
 a Beech 6 " " " S62 E 19 " "
 Land Hilby timber Oak & Hickory.

East On Random Between Sec. 2 & 11, T5 N. R3 E.
 37.50 a Brook 12 lks. South
 79.50 Intersected the N. & S. line 10 lks N. of post.
 Land the Same

West On true line Between Sec. 2 & 11, T5 N. R3 E
 39.75 Set the q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N15 W 28 lks. dist. &
 a Do 20 " " " S50 E 20 " "
 79.50 to Section Corner.

North Between Sec. 2 & 3, T5 N. R3 E.
 34.00 a Brook 6 lks. Course S. E.
 40.00 Set the q. Sec. post from which
 a P. Oak 10 in. dia. bears N7 W 28 lks. dist. &

T5 N. R3 E. 2nd Mer. Indiana

- an Ironwood 6 in. dia. bears N 80 W 8 lks. dist.
 80..40 Set a post on the N. Boundary 60 lks. E. of post
 Set a post Cor. to Sect. 28 & 3, from which
 a Beech 12 in. dia. bears S 4 W 17 lks. dist. //
 a B. Oak 20 " " " N 74 W 38 " "
 Land very Hilly
-

- North Between Secs. 33 & 34 T5 N. R3 E
 40. 00 Set the q. Sec. post from which
 a B. Oak 12 in. dia. bears N 37 E 7 lks. dist. //
 a Do 15 " " " N 67 W 18 " "
 45. 53 a Beech 20 in. dia.
 77. 00 a Brook 12 lks. E.
 80. 00 Set a post Corners to Secs. 27, 28, 33, 34, from which
 a Beech 8 in. dia. bears S 47 W 10 lks. dist. //
 a Do 10 " " " N 33 W 7 " "
 Land very Hilly
-

- East On Random Between Secs. 34 & 27 T5 N. R3 E.
 40. 00 Set temp. q. Sec. post
 50. 00 a Brook 20 lks. S. E.
 80. 00 Intersected the N. & S. line 12 lks. South of post.
 Land Rolling timber Beech &c.
-

- West On true line Between S. 27 & 34, T5 N. R3 E
 40. 00 Set the q. Sec. post at average dist. from which
 a Sugar 10 in. dia. bears N 10 W 12 lks. dist.
 a Beech 6 " " " S 41 E 4 " "
 80. 00 to Section Corner.
-

- North Between Secs. 27 & 28, T5 N. R3 E
 36. 04 a W. Oak 12 in. dia.
 40. 00 Set the q. Sec. post from which
 a B. Oak. 12 in. dia. bears S 23 E 10 lks. dist. //

T5 N. R3 E. 2nd Mer. Indiana

a Gum 8 in. dia. bears S1E 20 lks. dist.

50 . 00 a Beech 20 in. dia.

40 . 00 Set a post Corner to Sec. 21, 22, 27, 28, from which
a Ironwood 5 in. dia. bears N58 W 12 lks. dist. &
a Sassafras 9 " " " N42 E 15 " "
Land overy Hilly steep thin Soil

East On Random Between Sec. 22 & 27 T5 N. R. 3 E

40 . 00 Set the q. Sec. post

79 . 31 Intersected the N. & S. line 30 lks. South of post -
Land Hilly not so High -

West On true line Between Sec. 22 & 27 T5 N. R. 3 E

39 . 65 Set the q. Sec. post at average dist. from which
a Maple 10 in. dia. bears N34 E 12 lks. dist. &
a Do 10 " " " N37 E 19 " "

79 . 31 to Section Corner -

North Between Sec. 21 & 22, T5 N. R. 3 E.

40 . 00 Set the q. Sec. post from which
a Beech 8 in. dia. bears S11 E 42 lks. dist. &
a Sugar 10 " " " N68 W 18 " "

40 . 00 Set a post Corner to Sec. 15, 16, 21, 22, from which
a B. Oak 15 in. dia. bears S13 E 17 lks. dist. &
a Do 10 " " " S54 W 22 " "
Land the same very Hilly thin soil tem. Oak &c

East On Random Between Sec. 15 & 22, T5 N. R. 3 E.

40 . 00 Set temp. q. Sec. post

79 . 70 Intersected the N. & S. line 75 lks. South of post.

West On true line Between Sec. 15 & 22, T5 N. R. 3 E.

39 . 85 Set the q. Sec. post at average dist. from which

239

T5N R3E 2nd Mer. Indiana

a Beech 10 in. dia. bears N78 W 23 lks. dist. 8
 a Maple 10 " " " N39 E 16 " "
 79.70 to Section Corner.

North Between Secs. 15 & 16 T5N R3E,
 40.00 Set the g. Sec. post from which
 a Beech 10 in. dia. bears S10 W 42 lks. dist. 8
 a W. Oak 18 " " " N17 W 28 " "
 80.00 Set a post Corner to Secs. 9, 10, 15 & 16, from which
 a W. Walnut 10 in. dia. bears S — lks. dist. 8
 a B. Oak 10 " " " S 2 W 55 " "
 Land the Same

East On Random Between Secs. 10 & 15, T5N R3E,
 40.00 Set the temp. g. Sec. post
 80.00 Intersected the N. & S. line 80 lks South of post.
 Land very high Hills.

West On true line Between Secs. 10 & 15, T5N R3E,
 40.00 Set the g. Sec post at average dist. from which
 a W. Oak 20 in. dia. bears S40 E 21 lks. dist. 8
 a Do. 10 " " " N40 W 14 " "
 80.00 To Section Corner.

North Between Secs. 9 & 10, T5N R3E,
 40.00 Set the g. Sec. post from which
 a W. Oak 20 in. dia. bears N65 E 19 lks. dist. 8
 a Hickory 20 " " " N28 W 29 " "
 50.10 a B. Oak 20 in dia.
 80.00 Set a post Corner to Secs. 3, 4, 9, 10, from which
 a Beech 19 in. dia. bears N16 E 29 lks. dist. 8
 a Gum 16 " " " N44 W 32 " "
 Hills not so high but very broken.

T5 N R3 E. 2nd Mer. Indiana

East On Random Between Sec^s. 3 & 4, T5 N. R. 3 E.

40 . 00 Set the temp^y. q^t. Sec. post.

79 . 40 Intersected the N. & S. line 1.55 lks. South of post
Land the Same this line Not Corrected.

North Between Sec^s. 3 & 4, T5 N. R. 3 E.

20 . 00 Brook 12 lks. S. W.

40 . 00 Set the q^t. Sec. post from which
a Beech 12 in. dia^t. bears S 15 E 25 lks. dist. &
a Sugar 9 " " " S 72 W 27 "

84 . 50 Set a post Corner to Sec^s. 3 & 4. 1.12 ^{East of the post} lks. from which
a Beech 8 in. dia^t. bears S 14 W 17 lks. dist. &
a Do 12 " " " N 70 E 10 " "
This mile over Oak & Hickory timber Land

North Between Sec^s. 32 & 33, T5 N. R. 3 E.

40 . 00 Set the q^t. Sec. post from which
a B. Oak 18 in. dia^t. bears S 5 E 15 lks. dist. &
a Sugar 8 " " " North 6 " "

60 . 00 Set a post Corner to Sec^s. 28, 29, 32, 33, T5 N. R. 3 E
from which a W. Oak 15 in. dia^t. bears S 11 E 12 lks. dist. &
a Do 10 " " " S 25 " "

This mile very High Hills timbers Oak, Hickory
Saw Chestnut &c.

East On Random Between Sec^s. 28 & 33, T5 N. R. 3 E

40 . 00 Set the temp^y. q^t. Sec. post

80 . 15 Intersected the N. & S. line 16 lks. South of post
Land the Same

West On true line Between Sec^s. 28 & 33, T5 N. R. 3, E

40 . 07 Set the q^t. Sec. post at average dist. from which
an Ironwood 6 in. dia^t. bears S 53 W 7 lks. dist. &

Range

St R 3 E. 2^d Mer. Indiana

241

80.15 a Ironwood 6 in. dia. bears N 60 W 24 lks dist.
to Section Corner

North Between Secs. 28 & 29, St. N. R. 3, E.

40.00 Set the q^r. Sec. post from which
a W. Oak 18 in. dia. bears N 37 W 17 lks. dist. &
a Sassafras 8 " " " N 18 E 27 " "

80.00 Set a post Corner to Secs. 20, 21, 28, 29, from which
a Beech 10 in. dia. bears N 85 E 19 lks. dist. &
a Elm 6 " " " N 25 E 26 " "
Land the Same

East On Random Between Secs. 21 & 28, St. N. R. 3, E.

40.00 Set the temp^y. q^r. Sec. post.

80.95 Intersected the N. & S. line 20 lks. South
This line over very high Steep Hills

West On true line Between Secs. 21 & 28, St. N. R. 3, E.

40.47 1/2 Set the q^r. Sec. post at average dist. from which
a Dogwood 5 in. dia. bears S 41 E 10 lks. dist. &
a Hickory 10 " " " N 39 W 11 " "

80.95 to Section Corner

North Between Secs. 20 & 21, St. N. R. 3, E.

17.50 a W. Oak 12 in. dia.

40.00 a W. Oak 30 in. dia. q^r. Sec. Corner

80.00 Set a post Corner to 16, 17, 20, 21 from which
a Beech 6 in. dia. bears N 18 W 6 lks. dist. &
a Do 10 " " " S 65 E 20 " "
Land Good for farming.

East On Random Between Secs. 16 & 21, St. N. R. 3, E.

40.00 Set temp^y. quarter Sec. post

S5 N. R3 E. 2^d. Mer. Indiana

80 . 43 Intersected the N. & S. line 20 lks. North of post
Land over Hills. Timber Oak,

West On true line Between Sec. 16 & 21. S5 N. R. 3 E.
40 . 21 $\frac{1}{2}$ Set the q^r. Sec. post at average dist. from which
a Beech 24 in. dia^r. bears S 74 W 21 lks. dist. &
a Do 10 " " " N 83 E 25 " "
80 . 43 to Section Corner

North Between Sec. 16 & 17, S5 N. R. 3 E.
28 . 50 a W. Oak 20 in. dia^r.
40 . 00 Set the q^r. Sec. post from which
a Sugar 8 in. dia^r. bears S 7 E 25 lks. dist. &
a Beech 6 " " " S 40 E 17 " "
80 . 00 Set a post Corner To Sec. 8, 9, 16, 17, from which
a Beech 12 in. dia^r. bears S 41 W 11 lks. dist. &
a Do 12 " " " N 28 W 22 " "
Good farming Land timber Oak, Hickory & Beech

East On Random Sec. 9 & 16 S5 N. R. 3 E.
40 . 00 Set the temp^y. q^r. Sec. post
80 . 62 Intersected the N. & S. line 20 lks. North of post
Land Rolling timber Oak Beech &c.

West On true line Between Sec. 9 & 16, S5 N. R. 3 E.
40 . 31 Set the q^r. Sec. post at average dist. from which
a Beech 10 in. dia^r. bears East 39 lks. dist. &
and no other near
80 . 62 to Section Corner

North Between Sec. 8 & 9, S5 N. R. 3 E.
07 . 50 a Brook 20 lks. W.
40 . 00 Set the q^r. Sec. post from which

T5 N. R3 E. 2nd. Mer. Indiana

243

a Beech 12 in. dia. bears S40 W13 lks. dist. 7 1/2
 a Do 6 " " " N63 W11 " "
 81.00 Set a post Corner to Sec. 4, 5, 8 & 9. from which
 a Poplar 10 in. dia. bears N5 W30 lks. dist. 8
 a W. Ash 8 " " " N20 W38 " "
 Level Good for farming

East On Random Between Sec. 4 & 9, T5 N. R. 3 E.
 40.00 Set temp. 7. of Sec. post
 74.50 a Brook 12 lks. South
 80.00 Intersected the N.H.S. line 45 lks. North of post
 Land the Same

West On true line Between Sec. 4 & 9, T5 N. R. 3 E.
 40.00 Set the of. Sec. ^{west} at average dist from which
 a Beech 10 in. dia. bears S76 E19 lks. dist. 7 1/2
 a Maple 8 " " " S40 W26 " "
 80.00 to Section Corner

North Between Sec. 4 & 5, T5 N. R3 E
 20.50 a Brook 12 lks. wide Course S.W.
 40.00 Set the of. Sec. post, from which
 a Beech 18 in. dia. bears S28 E18 lks. dist. 6
 a Dogwood 5 " " " N12 E19 " "
 83.58 Intersected the N. boundary 140 lks. E. of post
 Set a post Cor. to Sec. 4 & 5, from which
 a Beech 10 in. dia. bears N65 E32 lks. dist. 7 1/2
 a Do 15 " " " S43 E12 " "
 Over good farming land.

North Between Sec. 31 & 32, T5 N. R3 E.
 10.00 a Brook 10 lks. wide Course S.W.
 40.00 Set the of. Sec. from which

T5 N. R3 E. 2^d. Mer. Indiana

a Dogwood 8 in. dia. bran S5 E 16 lks. dist. of
a Do 6 " " " S70 W 30 " "

80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
a Sugar 8 in. dia. bran N16 W 24 lks. dist. of
a Do 8 " " " S89 W 15 " "
Land hilly, timber Oak & Hickory

East On Random betw. Secs. 29 & 32, T5 N. R3 E.

40.00 Set temp. q. Sec. post

80.15 Intersected the N & S. line 80 lks. N. of the post
Land on the last half mile very hilly thin Soil
timber Oak principally.

West On true line between Secs. 29 & 32, T5 N. R3 E.

40.07 1/2 Set the q. Sec. post at average dist. from which
a Beech 10 in. dia. bran West 75 lks. dist.

80.15 to Sec. Corner.

North Between Secs. 29 & 30, T5 N. R3 E.

40.00 Set the q. Sec. post, from which
a Ironwood 6 in. dia. bran N71 W 9 lks. dist. of
a Beech 12 " " " N73 E 30 " "

52.00 a Sugar 20 in. dia.

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which
a Beech 6 in. dia. bran S39 W 7 lks. dist. of
a Sugar 20 " " " S67 E 17 " "
(Description Omitted)

East On Random between Secs. 20 & 29, T5 N. R3 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 12 lks. N. of post
Land timber &c. same as on the last mile

S. 1. R. 3 E. 2^d. Mer. Indiana

245

West On true line between Sec. 20 & 29, S. 1. R. 3 E.
 40.00 Let the q. Sec. post, at average dist.
 a Sugar 12 mi. dia. bay N 86 E 36 lks. dist. of
 a do 6 " " " S 56 W 25 " "
 80.00 to Sec. Corner

West 1 Between Sec. 30 & 31, S. 1. R. 3 E.
 20.70 a Poplar 30 mi. dist.
 40.00 Let the q. Sec. post, from which
 at Beech 10 mi. dia. bay N 47 E 17 lks. dist. of
 a do 10 " " " S 56 W 15 " "
 68.89 Intersected the W. boundary 76 lks. S. of post
 Let a post Cor. to Sec. 30 & 31, from which
 at Beech 15 mi. dia. bay N 47 E 25 lks. dist. of
 a do 10 " " " S 63 E 27 " "
 Land good for farming, timber Beech, Oak & Hickory

West 1 Between Sec. 19 & 30, S. 1. R. 3 E.
 35.60 a Brook 12 lks. Course S. W.
 40.00 Let the q. Sec. post from which
 at Beech 20 mi. dia. bay N 63 E 16 lks. dist. of
 a do 9 " " " S 18 W 23 " "
 69.04 Intersected the W. boundary 81 lks. S. of post
 Let a post Cor. to Sec. 19 & 30, from which
 a Sugar 12 mi. dia. bay N 48 W 8 lks. dist. of
 at Beech 8 " " " N 15 E 10 " "
 Land timber &c. Same as on the last mile

North 1 Between Sec. 19 & 20, S. 1. R. 3 E.
 18.00 a Brook 10 lks. wide Course S. W.
 40.00 Let the q. Sec. post, from which
 at Beech 9 mi. dia. bay N 19 W 9 lks. dist. of
 a do 6 " " " N 5 E 20 " "

T5 N. R3 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bears N50 E 15 lks. dist. &
a Poplar 28 " " " N51 E 19 " "
(Description Omitted)

East On Rand 9th betwⁿ Sec. 17 & 20, T5 N. R3 E.

40.00 Set temp^y. q. Sec. post.

80.04 Intersected the N. & S. line 10 lks. North of first
Land the same rich & level.

West On true line Between Sec. 17 & 20, T5 N. R. 3 E.

40 .02 Set the q. Sec. post at average dist. from which
a Beech 10 in. dia. bears S 11 E 7 lks. dist. &
a Poplar 20 " " " N 70 E 21 " "

80 .04 to Section Corner

West Between Sec. 18 & 19, T5 N. R. 3 E.

40 .00 Set the q. Sec. post from which
a Beech 10 in. dia. bears S 84 W 25 lks. dist. &
a D^o 29 " " " N 18 E 24 " "

45 .00 about 2 chains N. of this place S. bend of brook 50 lks. wide

69 .50 Set a post on the West Boundary 10 7/8 lks. South of
the post, Set a post Cor. to Sec. 18 & 19, from which
a Beech 12 in. dia. bears N 27 E 14 lks. dist. &
a D^o 8 " " " S 51 E 18 " "

North Between Sec. 17 & 18, T5 N. R. 3 E

40 .00 Set the q. Sec. post from which
a Sugar 10 in. dia. bears N 26 W 30 lks. dist.
a Beech 20 " " " N 65 E 35 " "

45 .00 a Brook 30 lks. S. 10 W.

80 .00 Set a Post Corner to Sec. 7, 8, 17, 18, from which
a Beech 30 in. dia. bears N 23 E 17 lks. dist. &

S5 N R3 E 2nd Mer. Indiana

a Beech 10 in. dia. bears S37 W 23 lks. dist.
Land the Same

East	On Random Between Sec. 4 & 17, S5 N. R3 E.
22.00	a Brook 40 lks. S. W.
40.00	Set temp. q. Sec. post
71.00	a Brook 12 lks S. W.
80.00	Intersected the N. S. line 8 lks South of post. Land the Same
West	On true line Between Sec. 4 & 17, S5 N. R3 E.
40.00	Set the q. Sec. post at average dist. from which a Sugar 8 in. dia. bears N75 E 17 lks. dist. & a Do 12 " " " S27 W 20 " "
80.00	To Section Corner
West	Between Sec. 7 & 18, S5 N. R3 E.
18.09	a W. Ash 20 in. dia.
35.00	a Brook 20 lks. S.
40.00	Set the q. Sec. post from which a Sugar 10 in. dia. bears S78 E 11 lks. dist. & a Poplar 30 " " " N33 W 23 " "
70.65	Set a post on the W. Boundary 44 lks S. of post from which a Beech 6 in. dia. bears N19 E 14 lks dist. & a Do 6 " " " S29 E 16 " " Land the Same
North	Between Sec. 7 & 8, S5 N. R3 E.
40.00	Set the q. Sec. post from which a W. Oak 10 in. dia. bears S44 W 6 lks. dist. & a Do 12 " " " S41 E 9 " "
80.00	Set a post Corner to Sec. 5, 6, 7 & 8 from which a Sugar 12 in. dia. bears N31 E 13 lks. dist.

S5 N R3 E 2^d Mer. Indiana

a Beech 10 in. dia. bears S 10 W 18 lks. dist.

Good farming Land timber poplar Beech Sugar &c.

East On Random Between Secs. 5 & 8, S5 N R. 3, E.

25.00 a Brook 20 lks. South

40.00 Set temp^y. of Sec. post

52.00 a Brook 12 lks S. W.

80.00 Intersected the N & S. line 10 lks S. of post
Land the Same

West On true line Between Secs. 5 & 8, S5 N R. 3, E.

40.00 Set the of. Sec. post at average dist. from which
a W. Oak 10 in. dia. bears S 15 W 14 lks. dist. &
a B. Oak 15 " " " N 81 W 6 " "

80.00 to Section Corner

West Between Secs. 6 & 7 S5 N R. 3 E

40.00 Set the of. Sec. post from which

a Beech 12 in. dia. bears S 74 W 25 lks. dist. &

a Dogwood 8 " " " S 24 W 8 " "

63.00 a Brook 10 lks. South -

71.60 Set a post on the West Boundary 63 lks. South of
post from which -

a Beech 12 in. dia. bears S 66 W 7 lks. dist. &

a Do 20 " " " N 26 E 14 " "

North Between Secs. 5 & 6, S5 N R. 3, E.

40.00 Set the of. Sec. post from which

a Poplar 20 in. dia. bears S 51 E 12 lks. dist. &

a Beech 6 " " " N 31 E 16 " "

83.50 Set a post on the N. Boundary 140 lks. East of post
from which a - 6 in. dia. bears S 52 E 9 lks. dist. &

a Do 8 " " " S 23 W 12 " "

Land timber &c. Same as on the last mile

Meanders of the Left bank of White river, in
S5 N - R3 E, from a post in South boundary
Thence up the River

N22 E 2 .90 in Sec. 56. S5 N. R3 E.

N13 E 3 60

N7 N 16 .65

N18 E 10 .68

N5 E 5 .46

N6 W 2 .25

N15 W 8 .93

N23 E 6 .04

N73 E 2 .33

N68 E 4 .19

S54 E 3 .81

N64 E 4 .46

S60 E 1 82

S58 E 2 .60

S37 E 4 .14

S50 E 6 .18

S74 E 2 .98

S84 E 2 .32

N88 E 1 .45

N77 E 8 .15 At 7.00 a Brook 10 lks. wide

N10 E 2 .46

N6 W 2 .46

N9 E 2 .97

N24 E 3 77

N41 E 1 .79

N47 E 10 .38

N58 E 13 .24

N51 E 2 .32

T5 N. R 3 E. 2nd Mer. Indiana

N 33 E 1 . 30	
N 41 E 2 . 41	
N 50 E 1 . 28	
N 36 E 3 . 16	
N 14 E 1 69	to line between Sec. 25 & 36

N 32 W 2 , 76	in Sec 25, T5 N. R 3 E.
N 41 W 4 , 00	
N 59 W 2 . 61	
N 52 W 1 95	
N 65 W 14 . 19	
N 36 W 7 . 58	
North 7 . 60	
N 33 E 6 . 30	
N 75 E 5 . 20	
S 67 E 6 . 90	
S 50 E 7 . 21	
S 15 E 7 66	
S 25 E 1 . 77	
S 19 E 2 . 34	
S 35 E 7 . 65	
S 63 E 5 . 00	
S 79 E . 86	to post in the E. boundary

*Meanders of the Right bank of White River in
T5 N. R 3 E. from a post in the S. boundary,
thence up the River.*

N 66 E 4 . 50	in Sec. 35, T5 N R 3 E.
S 65 E 3 . 00	
S 60 E 5 . 00	to post in S. boundary T5 N. R 3 E.

N 31 E 4 . 16	in Sec. 36, T5 N. R 3 E.
N 9 E 3 . 31	

S5 N R3 E, 2^d Mer. Indiana

N9. W 6. 45

N25. W 2. 28

N4. W 2. 40

N10 1/2 W 3. 36

N12. E 2. 14

N3 E 1. 95

N5. E 5. 80

N22 E 10. 98

N25. W 9. 39

N2 W 5. 36

N39. E 5. 50

Mouth of Creek 100 yds wide Comes from N.W.

N40. E 6. 18

N70 E 5. 45

N46 E 6. 79

N62. E 20. 53

N29 E 8. 22

N42. E 6. 60

N62 E 2. 85

N38 E 15. 73

N55 E 1. 50

N34. E 5. 59

N45. E 2. 27

N30. E 1. 22

to line between Sec. 25 & 36.

N27. E 9. 11

in Sec 25, S5 N. R3 E.

N21 1/2 W 7. 38

N44 W 3. 00

N55. W 1. 20

N47. W 4. 63

N65 W 1. 83

N78 1/2 W 1. 38

N58 W 5. 79

N33. W 4. 31

T5 N R3 E. 2^d. Mer. Indiana

N 25° W 6.45

N 12° W 5.54

N 18° E 9.30

N 49° E 5.00

to Creek 50 lks. wide from N. W.

" " 1.48

N 73° E 3.44

East 3.33

S 74° E 2.45

S 61° E 5.00

S 54° E 4.32

S 34° E 5.30

S 28° E 5.00

S 19° E 10.53

S 57° E 3.00

Intersected the E. boundary
September 24th. 1821

N 20° W 4.60

in Sec. 25 South side of bend

N 2° E 6.42

N 29° E 3.14

to post in the E. boundary again
Comp^d

Meander of the Right ^{bank} taken by John Milroy
and those of the Left bank taken by W. Harris
Surveyed by Arthur Herring, Dep. Sur.

I certify that the foregoing transcript of field notes of
Township N. 5 North, Range N. 3 East 2^d. Mer. Indiana
has been Comp. with the original notes in this office and
found to be correct.

Surveyor General's Office
Cincinnati, April 22. 1841

W. H. Harris

Sur. Gen.